



The World Leader in Performance Silicone Hoses 2011



Standard Elbows

I.D."	I.D. mm	Wall Size	Leg Length	MSRP/MAP	MSRP/MAP	MSRP/MAP
				E90	E45	E135
1/4"	6.5mm	4.0mm	2 1/2"(63mm)	12.20	12.26	12.58
5/16"	8.0mm	4.0mm	2 1/2"(63mm)	13.01	13.07	13.41
3/8"	9.5mm	4.0mm	2 1/2"(63mm)	13.68	13.75	14.24
7/16"	11mm	4.0mm	2 1/2"(63mm)	15.57	15.66	16.48
1/2"	13mm	4.0mm	4"(102mm)	16.83	16.91	17.72
5/8"	16mm	4.0mm	4"(102mm)	17.14	17.46	18.72
45/64"	18mm	4.0mm	4"(102mm)	17.92	18.82	20.18
3/4"	19mm	4.0mm	4"(102mm)	18.13	19.03	20.66
25/32"	20mm	4.0mm	4"(102mm)	18.33	19.24	20.89
7/8"	22mm	4.0mm	4"(102mm)	18.68	20.15	22.31
1"	25mm	4.0mm	4"(102mm)	20.07	21.65	24.40
1 1/8"	28mm	4.0mm	4"(102mm)	21.47	23.14	26.49
1 3/16"	30mm	4.0mm	4"(102mm)	22.35	24.11	27.92
1 1/4"	32mm	4.0mm	4"(102mm)	23.34	24.59	28.62
1 3/8"	35mm	4.0mm	4"(102mm)	26.31	26.52	30.52
1 1/2"	38mm	4.0mm	4"(102mm)	26.74	27.52	33.29
1 5/8"	41mm	4.0mm	4"(102mm)	26.91	28.92	35.60
1 3/4"	45mm	4.0mm	4"(102mm)	28.65	29.16	36.71
1 7/8"	48mm	4.0mm	4"(102mm)	29.50	31.28	39.88
2"	51mm	5.1mm	4"(102mm)	32.75	34.73	45.23
2 1/8"	54mm	5.1mm	4"(102mm)	34.08	36.14	47.85
2 1/4"	57mm	5.1mm	4"(102mm)	35.41	37.55	50.57
2 3/8"	60mm	5.1mm	4"(125mm)	42.09	42.39	56.23
2 1/2"	63mm	5.1mm	5"(125mm)	44.42	44.75	60.02
2 9/16"	65mm	5.1mm	5"(125mm)	46.25	46.60	62.86
2 11/16"	68mm	5.1mm	5"(125mm)	48.67	49.04	66.73
2 3/4"	70mm	5.1mm	5"(125mm)	49.66	50.05	68.80
3"	76mm	5.1mm	5"(125mm)	53.59	53.98	76.03
3 1/8"	80mm	5.1mm	5"(125mm)	57.25	57.68	82.24
3 1/4"	83mm	5.1mm	5"(125mm)	59.58	60.03	86.37
3 1/2"	89mm	6.4mm	5"(125mm)	77.24	77.83	114.19
4"	102mm	6.4mm	6"(152mm)	98.99	99.73	147.33

Order example...

- USA-E90 : Standard Polyester Silicone 90° Elbow : E90-51
- USA-E45 : Standard Polyester Silicone 45° Elbow : E45-51
- USA-E135 : Standard Polyester Silicone 135° Elbow : E135-51

**Standard Colour Options :** Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo

**Max Temperature :** 356°F (180°C)



Standard Elbows

I.D."	I.D. mm	Wall Size	Leg Length	MSRP/MAP	
				E60	E120
1/4"	6.5mm	4.0mm	2 1/2"(63mm)	12.26	12.58
5/16"	8.0mm	4.0mm	2 1/2"(63mm)	13.07	13.41
3/8"	9.5mm	4.0mm	2 1/2"(63mm)	13.75	14.24
7/16"	11mm	4.0mm	2 1/2"(63mm)	15.66	16.48
1/2"	13mm	4.0mm	4"(102mm)	16.91	17.72
5/8"	16mm	4.0mm	4"(102mm)	17.46	18.72
45/64"	18mm	4.0mm	4"(102mm)	18.82	20.18
3/4"	19mm	4.0mm	4"(102mm)	19.03	20.66
25/32"	20mm	4.0mm	4"(102mm)	19.24	20.89
7/8"	22mm	4.0mm	4"(102mm)	20.15	22.31
1"	25mm	4.0mm	4"(102mm)	21.65	24.40
1 1/8"	28mm	4.0mm	4"(102mm)	23.14	26.49
1 3/16"	30mm	4.0mm	4"(102mm)	24.11	27.92
1 1/4"	32mm	4.0mm	4"(102mm)	24.59	28.62
1 3/8"	35mm	4.0mm	4"(102mm)	26.52	30.52
1 1/2"	38mm	4.0mm	4"(102mm)	27.52	33.29
1 5/8"	41mm	4.0mm	4"(102mm)	28.92	35.60
1 3/4"	45mm	4.0mm	4"(102mm)	29.16	36.71
1 7/8"	48mm	4.0mm	4"(102mm)	31.28	39.88
2"	51mm	5.1mm	4"(102mm)	34.73	45.23
2 1/8"	54mm	5.1mm	4"(102mm)	36.14	47.85
2 1/4"	57mm	5.1mm	4"(102mm)	37.55	50.57
2 3/8"	60mm	5.1mm	4"(125mm)	42.39	56.23
2 1/2"	63mm	5.1mm	5"(125mm)	44.75	60.02
2 9/16"	65mm	5.1mm	5"(125mm)	46.60	62.86
2 11/16"	68mm	5.1mm	5"(125mm)	49.04	66.73
2 3/4"	70mm	5.1mm	5"(125mm)	50.05	68.80
3"	76mm	5.1mm	5"(125mm)	53.98	76.03
3 1/8"	80mm	5.1mm	5"(125mm)	57.68	82.24
3 1/4"	83mm	5.1mm	5"(125mm)	60.03	86.37
3 1/2"	89mm	6.4mm	5"(125mm)	77.83	114.19
4"	102mm	6.4mm	6"(152mm)	99.73	147.33

Order example...

USA-E60 : Standard Polyester Silicone 60° Elbow : E45-51

USA-E120 : Standard Polyester Silicone 120° Elbow : E135-51

Standard Colour Options : Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

Premium Colour Options (+15%) : White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

(+35%) : Samco Blaze / Urban Camo / Solar Orange Camo / Ninja Green Camo / Lightning Blue Camo

Max Temperature : 356°F (180°C)





Reducing Elbows

<i>I.D. "</i>	<i>I.D. mm</i>	<i>Wall Size</i>	<i>Leg Length</i>	<b>MSRP/MAP RE90</b>	<b>MSRP/MAP RE45</b>
1/2" > 3/8"	12mm > 9mm	4.0mm	4"(102mm)	16.83	-
5/8" > 1/2"	16mm > 13mm	4.0mm	4"(102mm)	17.14	-
3/4" > 1/2"	19mm > 13mm	4.0mm	4"(102mm)	18.13	-
3/4" > 5/8"	19mm > 16mm	4.0mm	4"(102mm)	18.13	-
7/8" > 5/8"	22mm > 16mm	4.0mm	4"(102mm)	18.68	-
7/8" > 3/4"	22mm > 19mm	4.0mm	4"(102mm)	18.68	-
1" > 3/4"	25mm > 19mm	4.0mm	4"(102mm)	20.07	-
1 1/4" > 3/4"	32mm > 19mm	4.0mm	4"(102mm)	23.34	-
1 1/4" > 1"	32mm > 25mm	4.0mm	4"(102mm)	23.34	-
1 1/4" > 1 1/8"	32mm > 28mm	4.0mm	4"(102mm)	23.34	-
1 3/8" > 7/8"	35mm > 22mm	4.0mm	4"(102mm)	26.31	26.52
1 3/8" > 1"	35mm > 25mm	4.0mm	4"(102mm)	26.31	-
1 3/8" > 1 3/16"	35mm > 30mm	4.0mm	4"(102mm)	26.31	-
1 3/8" > 1 1/4"	35mm > 32mm	4.0mm	4"(102mm)	26.31	-
1 1/2" > 5/8"	38mm > 16mm	4.0mm	4"(102mm)	-	27.52
1 1/2" > 1"	38mm > 25mm	4.0mm	4"(102mm)	26.74	-
1 1/2" > 1 1/4"	38mm > 32mm	4.0mm	4"(102mm)	26.74	-
1 1/2" > 1 3/8"	38mm > 35mm	4.0mm	4"(102mm)	26.74	-
1 5/8" > 1 3/8"	41mm > 35mm	4.0mm	4"(102mm)	-	28.92
1 5/8" > 1 1/2"	42mm > 32mm	4.0mm	4"(102mm)	26.91	-
1 3/4" > 1 1/4"	45mm > 32mm	4.0mm	4"(102mm)	28.65	-
1 3/4" > 1 3/8"	45mm > 35mm	4.0mm	4"(102mm)	28.65	-
1 3/4" > 1 1/2"	45mm > 38mm	4.0mm	4"(102mm)	28.65	29.16
1 7/8" > 1 3/16"	48mm > 30mm	4.0mm	4"(102mm)	29.50	-
1 7/8" > 1 1/2"	48mm > 38mm	4.0mm	4"(102mm)	29.50	-
2 1/4" > 1 1/2"	51mm > 38mm	5.1mm	4"(102mm)	32.75	34.73
2 1/4" > 1 3/4"	51mm > 45mm	5.1mm	4"(102mm)	32.75	34.73
2 1/8" > 1 7/8"	54mm > 48mm	5.1mm	4"(102mm)	34.08	-
2 1/8" > 1 5/8"	55mm > 42mm	5.1mm	4"(102mm)	-	36.14
2 1/4" > 2"	57mm > 51mm	5.1mm	4"(102mm)	35.41	37.55
2 3/8" > 2"	60mm > 51mm	5.1mm	5"(125mm)	42.09	42.39
2 3/8" > 2 1/8"	60mm > 55mm	5.1mm	5"(125mm)	-	42.39
2 3/8" > 2 1/4"	60mm > 57mm	5.1mm	5"(125mm)	-	42.39
2 1/2" > 2"	63mm > 51mm	5.1mm	5"(125mm)	44.42	44.65
2 1/2" > 2 1/4"	63mm > 57mm	5.1mm	5"(125mm)	44.42	-
2 9/16" > 2"	65mm > 50mm	5.1mm	5"(125mm)	46.25	-
2 9/16" > 2 3/8"	65mm > 60mm	5.1mm	5"(125mm)	46.25	46.60
2 3/4" > 2"	70mm > 51mm	5.1mm	5"(125mm)	49.66	50.05
2 3/4" > 2 3/8"	70mm > 60mm	5.1mm	5"(125mm)	49.66	50.05
2 3/4" > 2 1/2"	70mm > 63mm	5.1mm	5"(125mm)	49.66	-
3" > 2"	76mm > 51mm	5.1mm	5"(125mm)	53.59	53.98
3" > 2 3/8"	76mm > 60mm	5.1mm	5"(125mm)	53.59	-
3" > 2 1/2"	76mm > 63mm	5.1mm	5"(125mm)	53.59	53.98
3" > 2 3/4"	76mm > 70mm	5.1mm	5"(125mm)	53.59	-
2 1/8" > 2 1/2"	80mm > 60mm	5.1mm	5"(125mm)	57.25	-
3 1/8" > 2 3/4"	80mm > 70mm	5.1mm	5"(125mm)	57.25	57.68
3 1/2" > 2 9/16"	89mm > 65mm	6.3mm	5"(125mm)	77.24	-
3 1/2" > 3"	89mm > 76mm	6.3mm	5"(125mm)	77.24	-
4" > 3 1/2"	100mm > 90mm	6.3mm	6"(152mm)	98.99	99.73
4" > 3"	102mm > 76mm	6.3mm	6"(152mm)	98.99	-

Order example...

USA-RE90 : Standard Polyester Silicone 90° Elbow Reducer : RE90 51-45

Standard Colour Options : Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

Premium Colour Options (+15%) : White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

(+35%) : Samco Blaze / Urban Camo / Solar Orange Camo

/ Ninja Green Camo / Lightning Blue Camo



Max Temperature : 356°F (180°C)



**The World Leader in Performance Silicone Hoses 2011**

**Oil & Diesel Resistant Elbows**



I.D."	I.D. mm	Wall Size	Leg Length	MSRP/MAP	MSRP/MAP	MSRP/MAP
				Fluorolined E90 FE90	Fluorolined E45 FE45	Fluorolined E135 FE135
1/4"	6.5mm	4.0mm	2 1/2"(63mm)	28.46	28.46	30.25
5/16"	8.0mm	4.0mm	2 1/2"(63mm)	31.13	31.13	31.43
3/8"	9.5mm	4.0mm	2 1/2"(63mm)	33.58	33.58	34.26
7/16"	11mm	4.0mm	2 1/2"(63mm)	36.26	36.26	36.78
1/2"	13mm	4.0mm	4"(102mm)	37.40	37.40	37.95
5/8"	16mm	4.0mm	4"(102mm)	39.86	39.86	41.39
45/64"	18mm	4.0mm	4"(102mm)	44.43	44.43	46.13
3/4"	19mm	4.0mm	4"(102mm)	44.95	44.95	46.83
25/32"	20mm	4.0mm	4"(102mm)	46.55	46.55	48.50
7/8"	22mm	4.0mm	4"(102mm)	49.87	49.87	53.76
1"	25mm	4.0mm	4"(102mm)	54.95	54.95	57.97
1 1/8"	28mm	4.0mm	4"(102mm)	56.18	56.18	58.31
1 3/16"	30mm	4.0mm	4"(102mm)	56.85	56.85	61.14
1 1/4"	32mm	4.0mm	4"(102mm)	59.76	59.76	63.52
1 3/8"	35mm	4.0mm	4"(102mm)	62.21	62.21	65.80
1 1/2"	38mm	4.0mm	4"(102mm)	64.24	64.24	69.59
1 5/8"	41mm	4.0mm	4"(102mm)	64.74	64.74	69.91
1 3/4"	45mm	4.0mm	4"(102mm)	67.83	67.83	76.68
1 7/8"	48mm	4.0mm	4"(102mm)	68.82	68.82	75.66
2"	51mm	5.0mm	4"(102mm)	78.51	78.51	85.58
2 1/8"	54mm	5.0mm	4"(102mm)	80.33	80.33	88.36
2 1/4"	57mm	5.0mm	4"(102mm)	81.96	81.96	90.16
2 3/8"	60mm	5.0mm	5"(125mm)	86.29	86.29	94.97
2 1/2"	63mm	5.0mm	5"(125mm)	90.62	90.62	100.96
2 9/16"	65mm	5.0mm	5"(125mm)	93.02	93.02	106.67
2 11/16"	68mm	5.0mm	5"(125mm)	97.57	97.57	113.36
2 3/4"	70mm	5.0mm	5"(125mm)	99.97	99.97	117.46
3"	76mm	5.0mm	5"(125mm)	108.22	108.22	130.51
3 1/8"	80mm	5.0mm	5"(125mm)	113.96	113.96	139.96
3 1/4"	83mm	5.0mm	5"(125mm)	118.59	118.59	147.28
3 1/2"	89mm	6.0mm	5"(125mm)	124.71	124.71	175.87
4"	102mm	6.0mm	6"(152mm)	161.31	161.31	238.02

**Order example...**

**USA-FE90 / FE45 Oil & Diesel Resistant Fluorosilicone Lined : FE90-60 / FE45-60**

*Designed for Oil and Diesel transfer and limited Petrol vapour.*

*Not for continuous petrol/fuel use & not suitable for fuel lines.*

*2 Year Warranty. Supplied with Black Fluorosilicone lining.*

**Standard Colour Options :** Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo

/ Ninja Green Camo / Lightning Blue Camo



**Max Temperature :** 356°F (180°C)



**The World Leader in Performance Silicone Hoses 2011**

**ProFuel™ - Fuel Resistant Elbows**



MSRP/MAP ProFuel Lined E90 PE90      MSRP/MAP ProFuel Lined E45 PE45      MSRP/MAP ProFuel Lined E135 PE135

I.D."	I.D. mm	Wall Size	Leg Length	MSRP/MAP ProFuel Lined E90 PE90	MSRP/MAP ProFuel Lined E45 PE45	MSRP/MAP ProFuel Lined E135 PE135
1/4"	6.5mm	4.0mm	2 1/2"(63mm)	31.31	31.31	33.28
5/16"	8.0mm	4.0mm	2 1/2"(63mm)	34.24	34.24	34.57
3/8"	9.5mm	4.0mm	2 1/2"(63mm)	36.94	36.94	37.69
7/16"	11mm	4.0mm	2 1/2"(63mm)	39.89	39.89	40.46
1/2"	13mm	4.0mm	4"(102mm)	41.14	41.14	41.75
5/8"	16mm	4.0mm	4"(102mm)	43.85	43.85	45.53
45/64"	18mm	4.0mm	4"(102mm)	48.87	48.87	50.74
3/4"	19mm	4.0mm	4"(102mm)	49.45	49.45	51.51
25/32"	20mm	4.0mm	4"(102mm)	51.21	51.21	53.35
7/8"	22mm	4.0mm	4"(102mm)	54.86	54.86	59.14
1"	25mm	4.0mm	4"(102mm)	60.45	60.45	63.77
1 1/8"	28mm	4.0mm	4"(102mm)	61.80	61.80	64.14
1 3/16"	30mm	4.0mm	4"(102mm)	62.54	62.54	67.25
1 1/4"	32mm	4.0mm	4"(102mm)	65.74	65.74	69.87
1 3/8"	35mm	4.0mm	4"(102mm)	68.43	68.43	72.38
1 1/2"	38mm	4.0mm	4"(102mm)	70.66	70.66	76.55
1 5/8"	41mm	4.0mm	4"(102mm)	71.21	71.21	76.90
1 3/4"	45mm	4.0mm	4"(102mm)	74.61	74.61	84.35
1 7/8"	48mm	4.0mm	4"(102mm)	75.70	75.70	83.23
2"	51mm	5.0mm	4"(102mm)	86.36	86.36	94.14
2 1/8"	54mm	5.0mm	4"(102mm)	88.36	88.36	97.20
2 1/4"	57mm	5.0mm	4"(102mm)	90.16	90.16	99.18
2 3/8"	60mm	5.0mm	5"(125mm)	94.92	94.92	104.47
2 1/2"	63mm	5.0mm	5"(125mm)	99.68	99.68	111.06
2 9/16"	65mm	5.0mm	5"(125mm)	102.32	102.32	117.34
2 11/16"	68mm	5.0mm	5"(125mm)	107.33	107.33	124.70
2 3/4"	70mm	5.0mm	5"(125mm)	109.97	109.97	129.21
3"	76mm	5.0mm	5"(125mm)	119.04	119.04	143.56
3 1/8"	80mm	5.0mm	5"(125mm)	125.36	125.36	153.96
3 1/4"	83mm	5.0mm	5"(125mm)	130.45	130.45	162.01
3 1/2"	89mm	6.0mm	5"(125mm)	137.18	137.18	193.46
4"	102mm	6.0mm	6"(152mm)	177.44	177.44	261.82

**Order example...**

**USA-FE90 / FE45 Fuel Resistant ProFuel Lined : PE90-60 / PE45-60**

*The World's first Performance Silicone hose for permanent fuel use. Suitable for transport of Petroleum & Diesel Fuels –can be used for fuel lines, delivery, filler and breathers.*

*Also Available on most race parts.*

*2 Year Warranty. Supplied with ProFuel™ green lining.*

**Standard Colour Options :** Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo

/ Ninja Green Camo / Lightning Blue Camo



**Max Temperature :** 356°F (180°C)



Straight Hose x 1m (3'3") long



I.D."	I.D. mm	Standard SHL		High-Temp TCH		Fluorolined FSHL		ProFuel Lined PSHL	
		Wall Size	MSRP/MAP	Wall Size	MSRP/MAP	Wall Size	MSRP/MAP	Wall Size	MSRP/MAP
1/4"	6.5mm	3.9mm	27.92	4.0mm	33.65	4.1mm	54.32	4.1mm	59.75
5/16"	8.0mm	3.9mm	30.63	4.0mm	37.14	4.1mm	61.44	4.1mm	67.59
3/8"	9.5mm	3.9mm	33.46	4.0mm	40.50	4.1mm	68.57	4.1mm	75.43
7/16"	11mm	3.9mm	37.40	4.0mm	45.24	4.1mm	76.94	4.1mm	84.64
1/2"	13mm	3.9mm	40.59	4.0mm	61.73	4.1mm	85.04	4.1mm	93.54
5/8"	16mm	3.9mm	42.21	4.0mm	64.09	4.1mm	89.92	4.1mm	98.91
45/64"	18mm	3.9mm	46.35	4.0mm	64.63	4.1mm	91.72	4.1mm	100.90
3/4"	19mm	3.9mm	47.48	4.0mm	64.85	4.1mm	92.11	4.1mm	101.32
25/32"	20mm	3.9mm	47.59	4.0mm	65.10	4.1mm	92.75	4.1mm	102.03
7/8"	22mm	3.9mm	47.88	4.0mm	65.87	4.1mm	94.30	4.1mm	103.73
1"	25mm	3.9mm	48.72	4.0mm	72.13	4.1mm	104.42	4.1mm	114.87
1 1/8"	28mm	3.9mm	52.84	4.0mm	79.89	4.1mm	116.05	4.1mm	127.66
1 3/16"	30mm	3.9mm	52.78	4.0mm	84.15	4.1mm	122.80	4.1mm	135.07
1 1/4"	32mm	3.9mm	55.81	4.0mm	85.92	4.1mm	125.62	4.1mm	138.18
1 3/8"	35mm	3.9mm	65.79	4.0mm	114.81	4.1mm	153.38	4.1mm	168.71
1 1/2"	38mm	3.9mm	70.96	4.0mm	123.14	4.1mm	165.23	4.1mm	181.75
1 5/8"	41mm	3.9mm	74.03	4.8mm	125.54	4.1mm	168.59	4.1mm	185.45
1 3/4"	45mm	3.9mm	79.25	4.8mm	136.69	4.1mm	184.09	4.1mm	202.50
1 7/8"	48mm	3.9mm	83.49	4.8mm	145.48	4.1mm	196.15	4.1mm	215.76
2"	51mm	4.1mm	88.49	4.8mm	147.01	5.1mm	206.40	5.1mm	227.04
2 1/8"	54mm	4.1mm	92.68	4.8mm	152.49	5.1mm	214.85	5.1mm	236.33
2 1/4"	57mm	4.1mm	97.70	4.8mm	161.71	5.1mm	227.50	5.1mm	250.25
2 3/8"	60mm	4.1mm	102.75	4.8mm	168.43	5.1mm	237.66	5.1mm	261.42
2 1/2"	63mm	4.1mm	106.90	4.8mm	176.78	5.1mm	249.46	5.1mm	274.40
2 9/16"	65mm	4.1mm	109.71	5.5mm	212.68	5.1mm	256.26	5.1mm	281.89
2 11/16"	68mm	4.1mm	114.74	5.5mm	221.56	5.1mm	267.29	5.1mm	294.01
2 3/4"	70mm	4.1mm	118.01	5.5mm	228.10	5.1mm	275.29	5.1mm	302.82
3"	76mm	4.1mm	126.32	5.5mm	244.90	5.1mm	296.46	5.1mm	326.11
3 1/8"	80mm	4.1mm	134.50	5.5mm	255.57	5.1mm	310.00	5.1mm	341.00
3 1/4"	83mm	4.1mm	138.67	5.5mm	265.21	5.1mm	321.79	5.1mm	353.97
3 1/2"	89mm	4.1mm	149.22	5.5mm	285.28	5.1mm	389.91	5.1mm	428.90
4"	102mm	4.1mm	168.63	5.5mm	324.45	5.1mm	444.32	5.1mm	488.76
4 5/16"	110mm	6.5mm	232.24	5.5mm	337.69	5.9mm	469.93	5.9mm	516.92
4 1/2"	114mm	6.5mm	236.70	5.5mm	341.50	5.9mm	484.90	5.9mm	533.40
5"	127mm	6.5mm	264.85	5.5mm	357.29	5.9mm	516.05	5.9mm	567.65
6"	152mm	6.5mm	314.40	5.5mm	422.40	5.9mm	620.38	5.9mm	682.42
8"	200mm	6.5mm	426.58	5.5mm	534.78	5.9mm	763.85	5.9mm	840.23

**Order example...**

USA-SHL Standard Polyester Silicone : SHL51

USA-TCH High Temperature Nomex Silicone: TCH51

USA-FSHL Oil & Diesel Resistant Fluoro Lined SHL: FSHL51

*Designed for Oil and Diesel transfer and limited Petrol vapour. Not for continuous petrol/fuel use & not suitable for fuel lines. 2 Year Warranty. Supplied with Black Fluorosilicone lining.*

USA-PSHL Fuel Resistant ProFuel Lined SHL: PSHL51

*The World's first Performance Silicone hose for permanent fuel use. Suitable for transport of Petroleum & Diesel Fuels –can be used for fuel lines, delivery, filler and breathers. Also Available on most race parts. 2 Year Warranty. Supplied with ProFuel™ green lining.*

**Standard Colour Options :** Blue / Red / Bright Green / Yellow

Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo / Ninja Green Camo / Lightning Blue Camo



**SHL / FSHL / PSHL Hose Max Temperature : 356°F (180°C)**

**TCH Hose Max Temperature : 482°F (250°C)**



Superflex Hose x 1m (3'3") long

<i>I.D."</i>	<i>I.D. mm</i>	<i>Wall Size</i>	<b>MSRP/MAP</b> <i>Wire Reinforced</i> <b>SFL</b>
1/4"	6.5mm	3.5mm	34.49
5/16"	8.0mm	3.5mm	37.01
3/8"	9.5mm	3.5mm	38.87
7/16"	11mm	3.5mm	44.04
1/2"	13mm	3.5mm	49.45
5/8"	16mm	3.5mm	56.46
45/64"	18mm	3.5mm	57.15
3/4"	19mm	3.5mm	57.49
25/32"	20mm	3.5mm	57.76
7/8"	22mm	3.5mm	59.51
1"	25mm	3.5mm	63.49
1 1/8"	28mm	3.5mm	67.86
1 1/4"	32mm	3.5mm	73.67
1 3/8"	35mm	3.5mm	77.88
1 1/2"	38mm	3.5mm	83.05
1 5/8"	41mm	3.5mm	84.39
1 3/4"	45mm	3.5mm	89.65
1 7/8"	48mm	3.5mm	95.36
2"	51mm	3.5mm	99.34

**Order example...**

**USA-SFL : Standard Polyester Silicone with Wire : SFL38**

**3 ply polyester reinforced silicone with a wire helix buried within the plies for flexibility**

**Standard Colour Options :** Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo





Xtraflex Hose x 1m (3'3") long

<i>I.D."</i>	<i>I.D. mm</i>	<i>Wall Size</i>	<b>MSRP/MAP Wire Reinforced XFL</b>
1/4"	6.5mm	3.5mm	37.95
5/16"	8.0mm	3.5mm	40.71
3/8"	9.5mm	3.5mm	42.76
7/16"	11mm	3.5mm	48.45
1/2"	13mm	3.5mm	54.39
5/8"	16mm	3.5mm	62.11
45/64"	18mm	3.5mm	62.87
3/4"	19mm	3.5mm	63.24
25/32"	20mm	3.5mm	63.54
7/8"	22mm	3.5mm	65.47
1"	25mm	3.5mm	69.83
1 1/8"	28mm	3.5mm	74.64
			77.84
1 1/4"	32mm	3.5mm	81.03
1 3/8"	35mm	3.5mm	85.67
1 1/2"	38mm	3.5mm	91.35
1 5/8"	41mm	3.5mm	92.82
1 3/4"	45mm	3.5mm	98.61
1 7/8"	48mm	3.5mm	104.90
2"	51mm	3.5mm	109.28

**Order example...**

**USA-XFL : Standard Polyester Silicone with Wire : XFL38**

**3 ply polyester reinforced silicone with a wire helix buried within the plies for ultimate flexibility**

**Standard Colour Options :** Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo





Straight Reducer

				MSRP/MAP
I.D."	I.D. mm	Wall Size	Length	SR
1/2" > 5/16"	12mm > 8mm	4.0mm	4"(102mm)	13.17
1/2" > 3/8"	12.7mm > 9.5mm	4.0mm	4"(102mm)	13.17
5/8" > 1/2"	16mm > 13mm	4.0mm	4"(102mm)	13.63
3/4" > 1/2"	19mm > 13mm	4.0mm	4"(102mm)	14.55
3/4" > 5/8"	19mm > 16mm	4.0mm	4"(102mm)	14.55
7/8" > 5/8"	22mm > 16mm	4.0mm	4"(102mm)	15.07
7/8" > 3/4"	22mm > 19mm	4.0mm	4"(102mm)	15.07
1" > 5/8"	25mm > 16mm	4.0mm	4"(102mm)	16.12
1" > 3/4"	25mm > 19mm	4.0mm	4"(102mm)	16.12
1" > 7/8"	25mm > 22mm	4.0mm	4"(102mm)	16.12
1 1/8" > 7/8"	28mm > 22mm	4.0mm	4"(102mm)	16.93
1 1/8" > 1"	28mm > 25mm	4.0mm	4"(102mm)	16.93
1 1/4" > 3/4"	32mm > 19mm	4.0mm	4"(102mm)	19.23
1 1/4" > 1"	32mm > 25mm	4.0mm	4"(102mm)	19.23
1 1/4" > 1 1/8"	32mm > 28mm	4.0mm	4"(102mm)	19.23
1 3/8" > 1"	35mm > 25mm	4.0mm	4"(102mm)	19.28
1 3/8" > 1 1/8"	35mm > 28mm	4.0mm	4"(102mm)	19.28
1 3/8" > 1 1/4"	35mm > 32mm	4.0mm	4"(102mm)	19.28
1 1/2" > 7/8"	38mm > 22mm	4.0mm	4"(102mm)	20.57
1 1/2" > 1"	38mm > 25mm	4.0mm	4"(102mm)	20.57
1 1/2" > 1 1/8"	38mm > 28mm	4.0mm	4"(102mm)	20.57
1 1/2" > 1 1/4"	38mm > 32mm	4.0mm	4"(102mm)	20.57
1 1/2" > 1 3/8"	38mm > 35mm	4.0mm	4"(102mm)	20.57
1 5/8" > 1 3/8"	40mm > 35mm	4.0mm	4"(102mm)	21.17
1 5/8" > 1 1/2"	41mm > 38mm	4.0mm	4"(102mm)	21.17
1 3/4" > 1 1/4"	45mm > 32mm	4.0mm	4"(102mm)	21.82
1 3/4" > 1 1/2"	45mm > 38mm	4.0mm	4"(102mm)	21.82
2" > 1 1/2"	51mm > 38mm	4.0mm	3"(76mm)	21.97
2" > 1 3/4"	51mm > 45mm	4.0mm	3"(76mm)	21.97
2 1/8" > 2"	54mm > 51mm	4.0mm	3"(76mm)	22.60
2 1/4" > 2"	57mm > 51mm	4.0mm	3"(76mm)	23.27
2 3/8" > 2"	60mm > 50mm	4.0mm	3"(76mm)	25.07
2 1/2" > 2"	63mm > 51mm	4.0mm	3"(76mm)	25.74
2 1/2" > 2 1/4"	63mm > 57mm	4.0mm	3"(76mm)	25.74
2 1/2" > 2 3/8"	63mm > 60mm	4.0mm	3"(76mm)	25.74
2 9/16" > 2 3/8"	65mm > 60mm	4.0mm	3"(76mm)	26.55
2 3/4" > 2"	70mm > 50mm	4.0mm	3"(76mm)	28.43
2 3/4" > 2 1/4"	70mm > 57mm	4.0mm	3"(76mm)	28.43
2 3/4" > 2 3/8"	70mm > 60mm	4.0mm	3"(76mm)	28.43
2 3/4" > 2 1/2"	70mm > 63mm	4.0mm	3"(76mm)	28.43
3" > 2"	76mm > 51mm	4.0mm	3"(76mm)	31.54
3" > 2 1/4"	76mm > 57mm	4.0mm	3"(76mm)	31.54
3" > 2 3/8"	76mm > 60mm	4.0mm	3"(76mm)	31.54
3" > 2 1/2"	76mm > 63mm	4.0mm	3"(76mm)	31.54
3" > 2 5/8"	76mm > 67mm	4.0mm	3"(76mm)	31.54
3" > 2 3/4"	76mm > 70mm	4.0mm	3"(76mm)	31.54
3 1/8" > 2"	80mm > 51mm	4.0mm	3"(76mm)	34.20
3 1/8" > 2 9/16"	80mm > 65mm	4.0mm	3"(76mm)	34.20
3 1/8" > 2 3/4"	80mm > 70mm	4.0mm	3"(76mm)	34.20
3 1/8" > 3"	80mm > 76mm	4.0mm	3"(76mm)	34.20
3 1/4" > 3"	83mm > 76mm	4.0mm	3"(76mm)	35.97
3 1/2" > 2 1/2"	89mm > 63mm	4.0mm	3"(76mm)	39.06
3 1/2" > 3"	89mm > 76mm	4.0mm	3"(76mm)	39.06
3 1/2" > 3 1/8"	90mm > 80mm	4.0mm	3"(76mm)	39.06
4" > 3"	102mm > 76mm	4.0mm	4"(102mm)	49.99
4" > 3 1/4"	102mm > 83mm	4.0mm	4"(102mm)	49.99
4" > 3 1/2"	102mm > 89mm	4.0mm	4"(102mm)	49.99
5" > 4"	127mm > 100mm	4.0mm	4"(102mm)	60.68

Order example...

USA-SR Standard Polyester Silicone Straight Reducer : USA-SR51-38

Standard Colour Options : Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

Premium Colour Options (+15%) : White / Silver / Pink / Grey / Classic Black / Gunmetal Grey

(+35%) : Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo



Max Temperature : 356°F (180°C)



Straight Coupling Hose

MSRP/MAP  
Standard  
SCH

I.D."	I.D. mm	Wall Size	Length	MSRP/MAP Standard SCH
2"	51mm	4.0mm	3"	7.80
2 1/8"	54mm	4.0mm	3"	8.14
2 1/4"	57mm	4.0mm	3"	8.52
2 3/8"	60mm	4.0mm	3"	8.90
2 1/2"	63mm	4.0mm	3"	9.24
2 9/16"	65mm	4.0mm	3"	9.47
2 11/16"	68mm	4.0mm	3"	9.86
2 3/4"	70mm	4.0mm	3"	10.11
3"	76mm	4.0mm	3"	10.73
3 1/8"	80mm	4.0mm	3"	11.38
3 1/4"	83mm	4.0mm	3"	11.70
3 1/2"	89mm	4.0mm	3"	13.09
4"	102mm	4.0mm	3"	14.61
4 5/16"	110mm	4.0mm	3"	19.51

Order example...

USA-SCH Standard Polyester Silicone : USA-SCH51

Standard Colour Options : Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

Premium Colour Options (+15%) : White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
(+35%) : Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo



Max Temperature : 356°F (180°C)



Straight Hump Hose

MSRP/MAP  
Standard  
SHH

I.D."	I.D. mm	Wall Size	Length	MSRP/MAP Standard SHH
1 3/4"	45mm	4.0mm	3"	19.60
2"	50mm	4.0mm	3"	18.43
2 3/8"	60mm	4.0mm	3"	20.24
2 1/2"	63mm	4.0mm	3"	21.29
2 3/4"	70mm	4.0mm	3"	23.38
3"	76mm	4.0mm	3"	24.38
3 1/8"	80mm	4.0mm	3"	25.41
3 1/2"	90mm	4.0mm	3"	28.26
4"	100mm	4.0mm	3"	29.97

Order example...

USA-SHH Standard Polyester Silicone : USA-SHH60

Standard Colour Options : Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

Premium Colour Options (+15%) : White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
(+35%) : Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo



Max Temperature : 356°F (180°C)



Silicone T-Piece



MSRP/MAP

<i>I.D."</i>	<i>I.D. mm</i>	<i>Wall Size</i>	<i>Length</i>		<i>STP</i>
1 1/2"	38mm	4.0mm	4" Long 1" Spout	STP38	37.03
1 5/8"	45mm	4.0mm	4" Long 1" Spout	STP45	39.06
2"	51mm	4.5mm	4" Long 1" Spout	STP51	46.89
2 1/6"	55mm	4.5mm	4" Long 1" Spout	STP55	48.01
2 3/8"	60mm	4.5mm	4" Long 1" Spout	STP60	49.58
2 1/2"	63mm	4.5mm	4" Long 1" Spout	STP63	50.72
2 3/4"	70mm	5.0mm	4" Long 1" Spout	STP70	53.45
3"	76mm	5.0mm	4" Long 1" Spout	STP76	56.54

Order example...

USA-STP Standard Polyester Silicone : USA-STP60

**Standard Colour Options :** Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo



**Max Temperature :** 356°F (180°C)



180° Elbows ('U' Shape Hose)

MSRP/MAP

<i>I.D."</i>	<i>I.D. mm</i>	<i>Leg Length</i>	<i>Center line distance</i>		<i>E180</i>
5/8"	16mm	3"	48mm	E180-16	23.97
3/4"	19mm	3"	58mm	E180-19	25.28
7/8"	22mm	3"	66mm	E180-22	26.43
1"	25mm	4"	76mm	E180-25	27.65
1 1/8"	28mm	4"	86mm	E180-28	28.91
1 1/4"	32mm	4"	96mm	E180-32	32.36
1 3/8"	35mm	4"	106mm	E180-35	33.45
1 1/2"	38mm	4"	114mm	E180-38	36.16
1 5/8"	45mm	4"	136mm	E180-45	43.82
2"	51mm	5"	152mm	E180-51	60.86
2 1/4"	57mm	5"	170mm	E180-57	67.89
2 3/8"	60mm	5"	180mm	E180-60	71.54
2 1/2"	63mm	5"	190mm	E180-63	75.31
2 3/4"	70mm	5"	210mm	E180-70	81.95
3"	76mm	5 1/2"	228mm	E180-76	92.90

Order example...

USA-E180 Standard Polyester Silicone : USA-E180-60

**Standard Colour Options :** Blue / Red / Bright Green / Yellow  
Purple / Black / B.R. Green / Orange

**Premium Colour Options (+15%) :** White / Silver / Pink / Grey / Classic Black / Gunmetal Grey  
**(+35%) :** Samco Blaze / Urban Camo / Solar Orange Camo  
/ Ninja Green Camo / Lightning Blue Camo



**Max Temperature :** 356°F (180°C)



Alloy Joiners

O.D."	O.D. mm	Wall Size	Length	MSRP/MAP AJ
1/2"	13mm	1.5mm	80mm Long 2.0mm Bead	15.97
5/8"	16mm	1.5mm	80mm Long 2.0mm Bead	15.97
3/4"	19mm	1.5mm	80mm Long 2.0mm Bead	16.41
7/8"	22mm	1.5mm	80mm Long 2.0mm Bead	17.46
1"	25mm	1.5mm	80mm Long 2.0mm Bead	18.32
1 1/4"	32mm	1.5mm	80mm Long 2.0mm Bead	20.62
1 3/8"	35mm	1.5mm	80mm Long 2.0mm Bead	23.33
1 1/2"	38mm	1.5mm	80mm Long 2.0mm Bead	26.36
1 3/4"	45mm	1.5mm	80mm Long 2.0mm Bead	28.23
2"	51mm	1.5mm	80mm Long 2.0mm Bead	28.62
2 1/4"	57mm	1.5mm	80mm Long 2.0mm Bead	29.00
2 1/2"	63mm	1.5mm	80mm Long 2.0mm Bead	28.98
2 3/4"	70mm	1.5mm	80mm Long 2.0mm Bead	31.39
3"	76mm	1.5mm	80mm Long 2.0mm Bead	31.39

Order example...

USA-AJ Aluminium Joiner: USA-AJ16

USA-Colour Option : Polished Alloy

AJ Hose Max Temperature : 482°F (250°C)

Carbon Joiners



O.D."	O.D. mm	Wall Size	Length	MSRP/MAP CFJ
1/2"	13mm	1.5mm	80mm Long 3.5mm Bead	19.18
5/8"	16mm	1.5mm	80mm Long 3.5mm Bead	19.37
3/4"	19mm	1.5mm	80mm Long 3.5mm Bead	19.82
7/8"	22mm	1.5mm	80mm Long 3.5mm Bead	20.46
1"	25mm	1.5mm	80mm Long 3.5mm Bead	22.00
1 3/16"	30mm	1.5mm	80mm Long 3.5mm Bead	25.74
1 1/4"	32mm	1.5mm	80mm Long 3.5mm Bead	27.73
1 3/8"	35mm	1.5mm	80mm Long 3.5mm Bead	29.48
1 5/8"	41mm	1.5mm	80mm Long 3.5mm Bead	35.27
2"	51mm	1.5mm	80mm Long 3.5mm Bead	38.96
2 1/4"	57mm	1.5mm	80mm Long 3.5mm Bead	43.73
2 3/8"	60mm	1.5mm	80mm Long 3.5mm Bead	50.41
2 1/2"	63mm	1.5mm	80mm Long 3.5mm Bead	54.14
2 9/16"	65mm	1.5mm	80mm Long 3.5mm Bead	56.80
2 3/4"	70mm	1.5mm	80mm Long 3.5mm Bead	57.22
3"	76mm	1.5mm	80mm Long 3.5mm Bead	65.68
3 1/8"	80mm	1.5mm	80mm Long 3.5mm Bead	76.31

Order example...

USA-CFJ Carbon Fibre Joiner : USA-CFJ16

USA-Colour Option : Black

USA-CFJ Hose Max Temperature : 338°F (170°C)

Aluminium Billet Joiners



O.D."	O.D. mm	Wall Size	Length	MSRP/MAP Standard AJB
1/2"	13mm	2mm	87mm Long 1.5mm Bead	15.71
5/8"	16mm	2mm	87mm Long 1.5mm Bead	16.22
3/4"	19mm	2mm	87mm Long 1.5mm Bead	17.69
7/8"	22mm	2mm	87mm Long 1.5mm Bead	19.19
1"	25mm	2mm	87mm Long 1.5mm Bead	20.79
1 3/16"	30mm	2mm	87mm Long 1.5mm Bead	22.29
1 1/4"	32mm	2mm	87mm Long 1.5mm Bead	23.94
1 3/8"	35mm	2mm	87mm Long 1.5mm Bead	25.39
1 1/2"	38mm	2mm	87mm Long 1.5mm Bead	28.03
1 5/8"	41mm	2mm	87mm Long 1.5mm Bead	26.90
1 3/4"	45mm	2mm	87mm Long 1.5mm Bead	30.10
2"	51mm	2mm	87mm Long 1.5mm Bead	30.43
2 1/4"	57mm	2mm	87mm Long 1.5mm Bead	36.54
2 1/3"	60mm	2mm	87mm Long 1.5mm Bead	38.00
2 1/2"	63mm	2mm	87mm Long 1.5mm Bead	39.41
2 3/4"	70mm	2mm	87mm Long 1.5mm Bead	40.87
3"	76mm	2mm	87mm Long 1.5mm Bead	43.73

Order example...

USA-AJB Carbon Fibre Joiner : USA-AJB16

USA-Colour Option : Polished Alloy

USA-AJB Hose Max Temperature : 482°F (250°C)



Vacuum Tubing - Silicone Rubber

<i>I.D. x Wall "</i>	<i>I.D. x Wall mm</i>	<i>Part Code</i>	<i>MSRP/MAP 10' Pack Per Pack</i>	<i>MSRP/MAP 100' Coil Per Coil</i>
1/8" x 5/64"	3mm x 2mm	USA-VT3B-2W	14.37	122.85
5/32" x 5/64"	4mm x 2mm	USA-VT4B-2W	16.63	148.63
3/16" x 3/32"	5mm x 2.5mm	USA-VT5B-2.5W	25.96	242.52
1/4" x 3/32"	6.3mm x 2.5mm	USA-VT6.3B-2.5W	29.59	277.21
5/16" x 1/8"	8mm x 3mm	USA-VT8B-3W	42.08	396.88
3/8" x 1/8"	9mm x 3mm	USA-VT9B-3W	46.39	438.57

Order example...

USA-VT3B-2W(3m)

Vacuum lines, Washer Tubing, Coolant Overflow, Emission Control, Wire Insulation etc.

Standard Colour : Blue

Colour Options : Red / Green / Yellow / Purple / Black / Orange / BRG

Premium Colour Options (+15%) : White / Silver / Pink / Gunmetal Grey

Temperature Range : 392°F (200°C)

Not designed for pressurised installations



All colours are formulated to co-ordinate with the SamcoSport hose range of colours.



Samflex Ducting x 4m (13 feet) or 2m (6.5ft) long

<i>I.D. "</i>	<i>I.D. mm</i>	<i>Part Code</i>	<i>MSRP/MAP Single Ply \$ Per / 13'</i>	<i>MSRP/MAP Double Ply \$ Per / 13'</i>
1"	25mm	USA-SFD25	131.97	236.84
1 1/4"	31mm	USA-SFD31	135.07	240.02
1 1/2"	38mm	USA-SFD38	137.83	245.67
1 3/4"	44mm	USA-SFD44	147.25	268.91
2"	51mm	USA-SFD51	167.41	283.30
2 1/4"	57mm	USA-SFD57	171.95	297.73
2 1/2"	63mm	USA-SFD63	186.68	317.77
2 3/4"	69mm	USA-SFD69	199.75	338.34
3"	76mm	USA-SFD76	202.85	356.16
3 1/4"	82mm	USA-SFD82	232.50	373.01
3 1/2"	89mm	USA-SFD89	242.23	407.43
4"	102mm	USA-SFD102	270.27	438.75
4 1/2"	114mm	USA-SFD114	298.28	516.02
5"	127mm	USA-SFD127	311.44	547.04
5 1/2"	140mm	USA-SFD140	355.62	574.50
6"	152mm	USA-SFD152	397.03	611.38
7"	178mm	USA-SFD178	540.72	762.70
8"	203mm	USA-SFD203	607.17	850.84

Order example...

USA-SFD/1 High Temperature Glass Reinforced Silicone Ducting - Unlined : USA-SFD76 / 1

USA-SFD/2 High Temperature Glass Reinforced Silicone Ducting - Lined : USA-SFD76 / 2

Brake and Air Intake Ducting - Available in 13' & 6.5' Lengths.

Standard Colour : Red Oxide

Colour Options : N/A

Temperature Range : 599°F (315°F)



## 'Stretch & Seal' Tape

*Multi-Purpose Self-Amalgamating Repair Tape*

<b>Width</b>	<b>Length</b>	<b>Part Code</b>	<b>MSRP/MAP</b>
30mm	5m	SST-30	20.58

Standard Colour : Blue

Colour Options : Red / Black / Yellow

### **TYPICAL PROPERTIES**

Thermal Stability	356°F/180°C
Temperature Range	-65°F to +500°F (-50°C to +260°C)

### **PERFORMANCE ADVANTAGES**

- Resists moisture, oxygen, and ozone.
- Conforms smoothly when wrapped around complex forms.
- Bonds to itself at room temperature.
- Remains non-tacky and does not stick to other surfaces.
- Insulates with single wrap.
- Dampens vibration and resists heat and mechanical shock.

### **USES**

- Seal leaking hoses, pipes, tubing, lines, & fittings
- Over wrap deteriorated wire insulation.
- Harness wrapping and wire bundling
- Insulating and sealing electrical connections and terminals
- Use it as an emergency fan belt!
- Make emergency O-Rings
- Creates an excellent non-slip grip on tools and handles
- Wrap hydraulic fittings & other exposed metal connections to help prevent corrosion
- Insulating, protecting, and sealing rigging hardware & power systems in marine applications
- Works even over wet, dirty, or oily surfaces!



## Silicone Hose Wipes

***Impregnated lint-free wipes to clean & shine your SamcoSport Silicone Hoses.***



SamcoSport's new Silicone Hose Wipes are ideal for preventing the build up of everyday traffic film and engine deposits. Regular use encourages the natural shine of the silicone and helps maintain the hi-quality factory finish & lustre.

<b>Part Code</b>	<b>MSRP/MAP</b>
SHW/1	12.95

Each box contains 10 individually sealed sachets.

SamcoSport Silicone Hose Wipes were co-developed with Autoglym Ltd.



## Aluminium Hose Adaptors with 1/8 NPT Thread

<i><b>O.D."</b></i>	<i><b>O.D. mm</b></i>	<i><b>Length</b></i>	<i><b>Part Number</b></i>	<i><b>MSRP/MAP</b></i>
1 1/4"	<b>32</b>	95mm	USA-AHA32	22.99
1 3/8"	<b>35</b>	95mm	USA-AHA35	24.99
1 1/2"	<b>38</b>	95mm	USA-AHA38	26.99
1 3/4"	<b>45</b>	95mm	USA-AHA45	31.99

USA-AHA : Alloy Hose Adaptors

Order example... USA-AHA35

Colour Option : Polished Aluminium