



Straight Coupling Hose - Aramid Construction

<i>Bore "</i>	<i>Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	SRRP US\$ XSCH
2"	51mm	4mm	3"(76mm)	4	XSCH51	9.21
2 1/8"	54mm	4mm	3"(76mm)	4	XSCH54	9.66
2 1/4"	57mm	4mm	3"(76mm)	4	XSCH57	10.19
2 3/8"	60mm	4mm	3"(76mm)	4	XSCH60	10.64
2 1/2"	63mm	4mm	3"(76mm)	4	XSCH63	11.12
2 9/16"	65mm	4mm	3"(76mm)	4	XSCH65	11.31
2 11/16"	68mm	4mm	3"(76mm)	4	XSCH68	11.52
2 3/4"	70mm	4mm	3"(76mm)	4	XSCH70	11.79
3"	76mm	4mm	3"(76mm)	4	XSCH76	12.71
3 1/8"	80mm	4mm	3"(76mm)	4	XSCH80	13.06
3 1/4"	83mm	4mm	3"(76mm)	4	XSCH83	13.61
3 1/2"	89mm	4mm	3"(76mm)	4	XSCH89	15.16
4"	102mm	4mm	3"(76mm)	4	XSCH102	17.01

Order example...

USA-XSCH Silicone Hose : USA-XSCH-63

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)

Straight Hump Hose - Aramid Construction

<i>Bore "</i>	<i>Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	SRRP US\$ XSHH
2"	50mm	4mm	3"(76mm)	4	XSHH50	22.64
2 3/8"	60mm	4mm	3"(76mm)	4	XSHH60	25.68
2 1/2"	63mm	4mm	3"(76mm)	4	XSHH63	26.02
2 3/4"	70mm	4mm	3"(76mm)	4	XSHH70	27.56
3"	76mm	4mm	3"(76mm)	4	XSHH76	28.79
3 1/8"	80mm	4mm	3"(76mm)	4	XSHH80	29.76
3 1/2"	90mm	4mm	3"(76mm)	4	XSHH90	33.14
4"	100mm	4mm	3"(76mm)	4	XSHH100	36.88

Order example...

USA-XSHH Silicone Hose : USA-XSHH

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)



Straight Reducer - Aramid Construction

						SRRP US\$
Bore > Bore "	Bore > Bore mm	Wall Size	Length	Plies	Part Code	XSR
2" > 1 1/2"	51mm > 38mm	4.0mm	76mm	4	XSR51-38	25.31
2" > 1 3/4"	51mm > 45mm	4.0mm	76mm	4	XSR51-45	25.31
2 1/8" > 2"	54mm > 51mm	4.0mm	76mm	4	XSR54-51	26.10
2 1/4" > 2"	57mm > 51mm	4.0mm	76mm	4	XSR57-51	26.88
2 3/8" > 2"	60mm > 51mm	4.0mm	76mm	4	XSR60-51	29.71
2 1/2" > 2"	63mm > 51mm	4.0mm	76mm	4	XSR63-51	30.53
2 1/2" > 2 1/4"	63mm > 57mm	4.0mm	76mm	4	XSR63-57	30.53
2 1/2" > 2 3/8"	63mm > 60mm	4.0mm	76mm	4	XSR63-60	30.53
2 9/16" > 2 3/8"	65mm > 60mm	4.0mm	76mm	4	XSR65-60	30.91
2 3/4" > 2"	70mm > 51mm	4.0mm	76mm	4	XSR70-51	33.71
2 3/4" > 2 1/4"	70mm > 57mm	4.0mm	76mm	4	XSR70-57	33.71
2 3/4" > 2 3/8"	70mm > 60mm	4.0mm	76mm	4	XSR70-60	33.71
2 3/4" > 2 1/2"	70mm > 63mm	4.0mm	76mm	4	XSR70-63	33.71
3" > 2"	76mm > 51mm	4.0mm	76mm	4	XSR76-51	39.17
3" > 2 1/4"	76mm > 57mm	4.0mm	76mm	4	XSR76-57	39.17
3" > 2 3/8"	76mm > 60mm	4.0mm	76mm	4	XSR76-60	39.17
3" > 2 1/2"	76mm > 63mm	4.0mm	76mm	4	XSR76-63	39.17
3" > 2 5/8"	76mm > 67mm	4.0mm	76mm	4	XSR76-67	39.17
3" > 2 3/4"	76mm > 70mm	4.0mm	76mm	4	XSR76-70	39.17
3 1/8" > 2"	80mm > 51mm	4.0mm	76mm	4	XSR80-51	41.61
3 1/8" > 2 9/16"	80mm > 65mm	4.0mm	76mm	4	XSR80-65	41.61
3 1/8" > 2 3/4"	80mm > 70mm	4.0mm	76mm	4	XSR80-70	41.61
3 1/8" > 3"	80mm > 76mm	4.0mm	76mm	4	XSR80-76	41.61
3 1/2" > 2 1/2"	89mm > 63mm	4.0mm	76mm	4	XSR89-63	50.71
3 1/2" > 3"	89mm > 76mm	4.0mm	76mm	4	XSR89-76	50.71
3 1/2" > 3 1/8"	89mm > 80mm	4.0mm	76mm	4	XSR89-80	50.71
4" > 3"	102mm > 76mm	4.0mm	76mm	4	XSR102-76	63.93
4" > 3 1/4"	102mm > 83mm	4.0mm	76mm	4	XSR102-83	63.93
4" > 3 1/2"	102mm > 89mm	4.0mm	76mm	4	XSR102-89	63.93

Order example...

USA-XSR Silicone Hose : USA-XSR76-67

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)



Charge Air Cooler Hose - Aramid Construction

						SRRP US\$
Bore "	Bore mm	Wall Size	Length	Plies	Part Code	XCAC
2"	51mm	4mm	125mm	4	XCAC51	47.47
2 1/4"	57mm	4mm	125mm	4	XCAC57	49.72
2 3/8"	60mm	4mm	125mm	4	XCAC60	50.78
2 1/2"	63mm	4mm	125mm	4	XCAC63	51.92
2 3/4"	70mm	4mm	125mm	4	XCAC70	57.53
3"	76mm	4mm	125mm	4	XCAC76	60.23
3 1/8"	80mm	4mm	125mm	4	XCAC80	63.71
3 1/2"	89mm	4mm	125mm	4	XCAC89	69.54
4"	102mm	4mm	125mm	4	XCAC102	77.90

Order example...

USA-XCAC Silicone Hose : USA-XCAC76

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)



90° Elbow Reducer Hose - Aramid Construction

Bore "	Bore mm	Wall Size	Leg Lengths	Plies	Part Code	US\$ XSR	Part Code	US\$ XSR
2" > 1 1/2"	51mm > 38mm	4mm	102 x 102mm	4	XRE90 51-38	39.89	XRE45 51-38	39.89
2" > 1 3/4"	51mm > 45mm	4mm	102 x 102mm	4	XRE90 51-45	39.89	XRE45 51-45	39.89
2 1/8" > 1 7/8"	54mm > 48mm	4mm	102 x 102mm	4	XRE90 54-48	41.31	XRE45 54-48	41.31
2 1/8" > 1 5/8"	55mm > 42mm	4mm	102 x 102mm	4	-	-	XRE45 55-42	41.31
2 1/4" > 2"	57mm > 51mm	4mm	102 x 102mm	4	XRE90 57-51	42.83	XRE45 57-51	42.83
2 3/8" > 2"	60mm > 51mm	4mm	127 x 127mm	4	XRE90 60-51	51.02	XRE45 60-51	51.02
2 3/8" > 2 1/8"	60mm > 55mm	4mm	127 x 127mm	4	-	-	XRE45 60-55	51.02
2 3/8" > 2 1/4"	60mm > 57mm	4mm	127 x 127mm	4	-	-	XRE45 60-57	51.02
2 1/2" > 2"	63mm > 51mm	4mm	127 x 127mm	4	XRE90 63-51	53.20	XRE45 63-51	53.20
2 1/2" > 2 1/4"	63mm > 57mm	4mm	127 x 127mm	4	XRE90 63-57	53.20	-	-
2 9/16" > 2"	65mm > 50mm	4mm	127 x 127mm	4	XRE90 65-50	55.35	-	-
2 9/16" > 2 3/8"	65mm > 60mm	4mm	127 x 127mm	4	XRE90 65-60	55.35	XRE45 65-60	55.35
2 3/4" > 2"	70mm > 51mm	4mm	127 x 127mm	4	XRE90 70-51	60.53	XRE45 70-51	60.53
2 3/4" > 2 3/8"	70mm > 60mm	4mm	127 x 127mm	4	XRE90 70-60	60.53	XRE45 70-60	60.53
2 3/4" > 2 1/2"	70mm > 63mm	4mm	127 x 127mm	4	XRE90 70-63	60.53	-	-
3" > 2"	76mm > 51mm	4mm	127 x 127mm	4	XRE90 76-51	65.05	XRE45 76-51	65.05
3" > 2 3/8"	76mm > 60mm	4mm	127 x 127mm	4	XRE90 76-60	65.05	-	-
3" > 2 1/2"	76mm > 63mm	4mm	127 x 127mm	4	XRE90 76-63	65.05	XRE45 76-63	65.05
3" > 2 3/4"	76mm > 70mm	4mm	127 x 127mm	4	XRE90 76-70	65.05	-	-
3 1/8" > 2 3/8"	80mm > 60mm	4mm	127 x 127mm	4	XRE90 80-60	69.27	-	-
3 1/8" > 2 3/4"	80mm > 70mm	4mm	127 x 127mm	4	XRE90 80-70	69.27	XRE45 80-70	69.27
3 1/8" > 3"	80mm > 76mm	4mm	127 x 127mm	4	XRE90 80-76	69.27	-	-
3 1/2" > 3"	89mm > 76mm	4mm	127 x 127mm	4	XRE90 89-76	82.51	-	-
4" > 3 1/2"	100mm > 90mm	4mm	152 x 152mm	4	XRE90 100-90	105.30	XRE45 100-90	105.30
4" > 3"	102mm > 76mm	4mm	152 x 152mm	4	XRE90 102-76	105.30	-	-

Order example...

USA-XRE90 Silicone Hose : USA-XRE90 80-60



Elbow Hose - Aramid Construction

E90 & E45 Only

Bore "	Bore mm	Wall Size	Leg Lengths	Plies	Part Code XE90	US\$ XE90	Part Code XE45°	US\$ XE45
2"	51mm	4mm	102 x 102mm	4	XE90-51	39.89	XE45-51	39.89
2 1/8"	54mm	4mm	102 x 102mm	4	XE90-54	41.31	XE45-54	41.31
2 1/4"	57mm	4mm	102 x 102mm	4	XE90-57	42.83	XE45-57	42.83
2 3/8"	60mm	4mm	127 x 127mm	4	XE90-60	51.02	XE45-60	51.02
2 1/2"	63mm	4mm	127 x 127mm	4	XE90-63	53.20	XE45-63	53.20
2 9/16"	65mm	4mm	127 x 127mm	4	XE90-65	55.35	XE45-65	55.35
2 11/16"	68mm	4mm	127 x 127mm	4	XE90-68	57.10	XE45-68	57.10
2 3/4"	70mm	4mm	127 x 127mm	4	XE90-70	60.53	XE45-70	60.53
3"	76mm	4mm	127 x 127mm	4	XE90-76	65.05	XE45-76	65.05
3 1/8"	80mm	4mm	127 x 127mm	4	XE90-80	69.27	XE45-80	69.27
3 1/4"	83mm	4mm	127 x 127mm	4	XE90-83	72.05	XE45-83	72.05
3 1/2"	89mm	4mm	127 x 127mm	4	XE90-89	82.51	XE45-89	82.51
4"	102mm	4mm	152 x 152mm	4	XE90-102	105.30	XE45-102	105.30

Order example...

USA-XE90 / XE45 Silicone Hose : USA-XE90-51 / XE45-51

Standard Colour : Blue
 Colour Options : Red / Black
 Premium Colour Option (+15%) : Classic Black
 SCH Hose Max Temperature : ~482°F (250°C)