



Straight Coupling Hose - Aramid Construction

<i>Bore"</i>	<i>Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	<i>MSRP/MAP</i>
						<i>XSCH</i>
2"	51mm	4mm	3"(76mm)	4	XSCH51	9.67
2 1/8"	54mm	4mm	3"(76mm)	4	XSCH54	10.14
2 1/4"	57mm	4mm	3"(76mm)	4	XSCH57	10.70
2 3/8"	60mm	4mm	3"(76mm)	4	XSCH60	11.17
2 1/2"	63mm	4mm	3"(76mm)	4	XSCH63	11.68
2 9/16"	65mm	4mm	3"(76mm)	4	XSCH65	11.88
2 11/16"	68mm	4mm	3"(76mm)	4	XSCH68	12.10
2 3/4"	70mm	4mm	3"(76mm)	4	XSCH70	12.38
3"	76mm	4mm	3"(76mm)	4	XSCH76	13.35
3 1/8"	80mm	4mm	3"(76mm)	4	XSCH80	13.71
3 1/4"	83mm	4mm	3"(76mm)	4	XSCH83	14.29
3 1/2"	89mm	4mm	3"(76mm)	4	XSCH89	15.92
4"	102mm	4mm	3"(76mm)	4	XSCH102	17.86

Order example...

USA-XSCH Silicone Hose : USA-XSCH-63

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)



Straight Hump Hose - Aramid Construction

<i>Bore "</i>	<i>Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>	<i>MSRP/MAP</i>
						<i>XSHH</i>
2"	50mm	4mm	3"(76mm)	4	XSHH50	23.77
2 3/8"	60mm	4mm	3"(76mm)	4	XSHH60	26.96
2 1/2"	63mm	4mm	3"(76mm)	4	XSHH63	27.32
2 3/4"	70mm	4mm	3"(76mm)	4	XSHH70	28.94
3"	76mm	4mm	3"(76mm)	4	XSHH76	30.23
3 1/8"	80mm	4mm	3"(76mm)	4	XSHH80	31.25
3 1/2"	90mm	4mm	3"(76mm)	4	XSHH90	34.80
4"	100mm	4mm	3"(76mm)	4	XSHH100	38.72

Order example...

USA-XSHH Silicone Hose : USA-XSHH

Standard Colour : Blue

Colour Options : Red / Black

Premium Colour Option (+15%) : Classic Black

SCH Hose Max Temperature : ~482°F (250°C)



Straight Reducer - Aramid Construction

							MSRP/MAP
<i>Bore &gt; Bore "</i>	<i>Bore &gt; Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>		<i>XSR</i>
2" > 1 1/2"	51mm > 38mm	4.0mm	76mm	4	XSR51-38		26.58
2" > 1 3/4"	51mm > 45mm	4.0mm	76mm	4	XSR51-45		26.58
2 1/8" > 2"	54mm > 51mm	4.0mm	76mm	4	XSR54-51		27.41
2 1/4" > 2"	57mm > 51mm	4.0mm	76mm	4	XSR57-51		28.22
2 3/8" > 2"	60mm > 51mm	4.0mm	76mm	4	XSR60-51		31.20
2 1/2" > 2"	63mm > 51mm	4.0mm	76mm	4	XSR63-51		32.06
2 1/2" > 2 1/4"	63mm > 57mm	4.0mm	76mm	4	XSR63-57		32.06
2 1/2" > 2 3/8"	63mm > 60mm	4.0mm	76mm	4	XSR63-60		32.06
2 9/16" > 2 3/8"	65mm > 60mm	4.0mm	76mm	4	XSR65-60		32.46
2 3/4" > 2"	70mm > 51mm	4.0mm	76mm	4	XSR70-51		35.40
2 3/4" > 2 1/4"	70mm > 57mm	4.0mm	76mm	4	XSR70-57		35.40
2 3/4" > 2 3/8"	70mm > 60mm	4.0mm	76mm	4	XSR70-60		35.40
2 3/4" > 2 1/2"	70mm > 63mm	4.0mm	76mm	4	XSR70-63		35.40
3" > 2"	76mm > 51mm	4.0mm	76mm	4	XSR76-51		41.13
3" > 2 1/4"	76mm > 57mm	4.0mm	76mm	4	XSR76-57		41.13
3" > 2 3/8"	76mm > 60mm	4.0mm	76mm	4	XSR76-60		41.13
3" > 2 1/2"	76mm > 63mm	4.0mm	76mm	4	XSR76-63		41.13
3" > 2 5/8"	76mm > 67mm	4.0mm	76mm	4	XSR76-67		41.13
3" > 2 3/4"	76mm > 70mm	4.0mm	76mm	4	XSR76-70		41.13
3 1/8" > 2"	80mm > 51mm	4.0mm	76mm	4	XSR80-51		43.69
3 1/8" > 2 9/16"	80mm > 65mm	4.0mm	76mm	4	XSR80-65		43.69
3 1/8" > 2 3/4"	80mm > 70mm	4.0mm	76mm	4	XSR80-70		43.69
3 1/8" > 3"	80mm > 76mm	4.0mm	76mm	4	XSR80-76		43.69
3 1/2" > 2 1/2"	89mm > 63mm	4.0mm	76mm	4	XSR89-63		53.25
3 1/2" > 3"	89mm > 76mm	4.0mm	76mm	4	XSR89-76		53.25
3 1/2" > 3 1/8"	89mm > 80mm	4.0mm	76mm	4	XSR89-80		53.25
4" > 3"	102mm > 76mm	4.0mm	76mm	4	XSR102-76		67.13
4" > 3 1/4"	102mm > 83mm	4.0mm	76mm	4	XSR102-83		67.13
4" > 3 1/2"	102mm > 89mm	4.0mm	76mm	4	XSR102-89		67.13

**Order example...**  
 USA-XSR Silicone Hose : USA-XSR76-67

Standard Colour : Blue  
 Colour Options : Red / Black  
 Premium Colour Option (+15%) : Classic Black  
 SCH Hose Max Temperature : ~482°F (250 °C)



Charge Air Cooler Hose - Aramid Construction

							MSRP/MAP
<i>Bore "</i>	<i>Bore mm</i>	<i>Wall Size</i>	<i>Length</i>	<i>Plies</i>	<i>Part Code</i>		<i>XCAC</i>
2"	51mm	4mm	125mm	4	XCAC51		49.84
2 1/4"	57mm	4mm	125mm	4	XCAC57		52.21
2 3/8"	60mm	4mm	125mm	4	XCAC60		53.32
2 1/2"	63mm	4mm	125mm	4	XCAC63		54.52
2 3/4"	70mm	4mm	125mm	4	XCAC70		60.41
3"	76mm	4mm	125mm	4	XCAC76		63.24
3 1/8"	80mm	4mm	125mm	4	XCAC80		66.90
3 1/2"	89mm	4mm	125mm	4	XCAC89		73.02
4"	102mm	4mm	125mm	4	XCAC102		81.80

**Order example...**  
 USA-XCAC Silicone Hose : USA-XCAC76


Standard Colour : Blue  
 Colour Options : Red / Black  
 Premium Colour Option (+15%) : Classic Black  
 SCH Hose Max Temperature : ~482°F (250 °C)



90° Elbow Reducer Hose - Aramid Construction

Bore "	Bore mm	Wall Size	Leg Lengths	Plies	Part Code	MSRP/MAP	
						XRE90	XRE45
2" > 1 1/2"	51mm > 38mm	4mm	102 x 102mm	4	XRE90 51-38	41.88	41.88
2" > 1 3/4"	51mm > 45mm	4mm	102 x 102mm	4	XRE90 51-45	41.88	41.88
2 1/8" > 1 7/8"	54mm > 48mm	4mm	102 x 102mm	4	XRE90 54-48	43.38	43.38
2 1/8" > 1 5/8"	55mm > 42mm	4mm	102 x 102mm	4	-	-	43.38
2 1/4" > 2"	57mm > 51mm	4mm	102 x 102mm	4	XRE90 57-51	44.97	44.97
2 3/8" > 2"	60mm > 51mm	4mm	127 x 127mm	4	XRE90 60-51	53.57	53.57
2 3/8" > 2 1/8"	60mm > 55mm	4mm	127 x 127mm	4	-	-	53.57
2 3/8" > 2 1/4"	60mm > 57mm	4mm	127 x 127mm	4	-	-	53.57
2 1/2" > 2"	63mm > 51mm	4mm	127 x 127mm	4	XRE90 63-51	55.86	55.86
2 1/2" > 2 1/4"	63mm > 57mm	4mm	127 x 127mm	4	XRE90 63-57	55.86	-
2 9/16" > 2"	65mm > 50mm	4mm	127 x 127mm	4	XRE90 65-50	58.12	-
2 9/16" > 2 3/8"	65mm > 60mm	4mm	127 x 127mm	4	XRE90 65-60	58.12	58.12
2 3/4" > 2"	70mm > 51mm	4mm	127 x 127mm	4	XRE90 70-51	63.56	63.56
2 3/4" > 2 3/8"	70mm > 60mm	4mm	127 x 127mm	4	XRE90 70-60	63.56	63.56
2 3/4" > 2 1/2"	70mm > 63mm	4mm	127 x 127mm	4	XRE90 70-63	63.56	-
3" > 2"	76mm > 51mm	4mm	127 x 127mm	4	XRE90 76-51	68.30	68.30
3" > 2 3/8"	76mm > 60mm	4mm	127 x 127mm	4	XRE90 76-60	68.30	-
3" > 2 1/2"	76mm > 63mm	4mm	127 x 127mm	4	XRE90 76-63	68.30	68.30
3" > 2 3/4"	76mm > 70mm	4mm	127 x 127mm	4	XRE90 76-70	68.30	-
3 1/8" > 2 3/8"	80mm > 60mm	4mm	127 x 127mm	4	XRE90 80-60	72.73	-
3 1/8" > 2 3/4"	80mm > 70mm	4mm	127 x 127mm	4	XRE90 80-70	72.73	72.73
3 1/8" > 3"	80mm > 76mm	4mm	127 x 127mm	4	XRE90 80-76	72.73	-
3 1/2" > 3"	89mm > 76mm	4mm	127 x 127mm	4	XRE90 89-76	86.64	-
4" > 3 1/2"	100mm > 90mm	4mm	152 x 152mm	4	XRE90 100-90	110.57	110.57
4" > 3"	102mm > 76mm	4mm	152 x 152mm	4	XRE90 102-76	110.57	-

Order example...  
USA-XRE90 Silicone Hose : USA-XRE90 80-60



Elbow Hose - Aramid Construction

E90 & E45 Only

Bore "	Bore mm	Wall Size	Leg Lengths	Plies	US\$	
					Part Code XE90	Part Code XE45°
2"	51mm	4mm	102 x 102mm	4	XE90-51	41.88
2 1/8"	54mm	4mm	102 x 102mm	4	XE90-54	43.38
2 1/4"	57mm	4mm	102 x 102mm	4	XE90-57	44.97
2 3/8"	60mm	4mm	127 x 127mm	4	XE90-60	53.57
2 1/2"	63mm	4mm	127 x 127mm	4	XE90-63	55.86
2 9/16"	65mm	4mm	127 x 127mm	4	XE90-65	58.12
2 11/16"	68mm	4mm	127 x 127mm	4	XE90-68	59.96
2 3/4"	70mm	4mm	127 x 127mm	4	XE90-70	63.56
3"	76mm	4mm	127 x 127mm	4	XE90-76	68.30
3 1/8"	80mm	4mm	127 x 127mm	4	XE90-80	72.73
3 1/4"	83mm	4mm	127 x 127mm	4	XE90-83	75.65
3 1/2"	89mm	4mm	127 x 127mm	4	XE90-89	86.64
4"	102mm	4mm	152 x 152mm	4	XE90-102	110.57

Order example...  
USA-XE90 / XE45 Silicone Hose : USA-XE90-51 / XE45-51

Standard Colour : Blue  
Colour Options : Red / Black  
Premium Colour Option (+15%) : Classic Black  
SCH Hose Max Temperature : ~482°F (250°C)